

Dave Dee The Complete Disco Service LTD

16 Waterdale Grove
Longton
Stoke - on - Trent
Staffordshire
ST3 5TX

Account Ref: 13713-0499-0001



This is to certify that equipment listed and stickered has undergone and passed the Electrical and/or Visual Tests according to the Electricity at Work Standards Regulations (P.A.T)

PASSED

Certificate Valid Until 19th May 2025

Testing Carried Out By Kevin J Spencer
Best Test UK Unit 1
Elswick Road
Fenton Industrial Estate
Fenton
Stoke On Trent
ST4 2PZ
07854 016320
www.best-test-uk.co.uk
info@best-test-uk.co.uk

Signed... *K. J. Spencer*
Date... *20/5/24*

Dave Dee The Complete Disco Service LTD

16 Waterdale Grove
Stoke - on -Trent
Staffordshire ST3 5TX
20-05-21

Testing Carried Out By K J Spencer

C/o Best Test UK Unit 1
Elswick Road Fenton Industrial Site
Fenton Stoke on Trent ST4 2PZ

Account Ref: 13713-0499-0001



info@best-test-uk.co.uk
www.best-test-uk.co.uk
07854 016320

Appliance Description	Appliance ID	Date Tested	Retest Date	Visual Check	Polarity Check	Earth Cont Ohms	Insulation MOhms	Load kVA	Leakage mA	Status
Dave Dee The Complete Disco Service LTD Sound										
Dee Rack - Amps	3	20.05.24	19.05.25	P	S	0.12	199.00	S	S	PASS
Mixer	FSM1	20.05.24	19.05.25	P	S	0.18	199.00	S	S	PASS
Numark HDI Player	HDI1	20.05.24	19.05.25	P	S	0.16	199.00	S	S	PASS
Dee Rack - Amps	2	20.05.24	19.05.25	P	S	0.12	199.00	S	S	PASS
Dee Rack - Mixer	16	20.05.24	19.05.25	P	S	0.21	199.00	S	S	PASS
Dee Rack - Amps	5	20.05.24	19.05.25	P	S	0.17	199.00	S	S	PASS
Dee Rack - Amps	4	20.05.24	19.05.25	P	S	0.15	199.00	S	S	PASS
Dee Rack - Amps	3	20.05.24	19.05.25	P	S	0.12	199.00	S	S	PASS
Dee Rack - Amps	1	20.05.24	19.05.25	P	S	0.11	199.00	S	S	PASS
Dee Rack - Amps	10	20.05.24	19.05.25	P	S	0.13	199.00	S	S	PASS
Dee Rack - Mixer	15	20.05.24	19.05.25	P	S	0.13	199.00	S	S	PASS
Radio Microphone	BETA87	20.05.24	19.05.25	P	S	0.15	199.00	S	S	PASS
Dee Rack - Daytime system	14	20.05.24	19.05.25	P	S	0.12	199.00	S	S	PASS
Denon DN4000CD Player	1	20.05.24	19.05.25	P	S	0.16	199.00	S	S	PASS
Dave Dee The Complete Disco Service LTD Lighting Control										
Lighting Controller	CT-400S	20.05.24	19.05.25	P	S	0.21	199.00	S	S	PASS
Lighting Controller	SC4000E	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Dee Rack - Lighting	11	20.05.24	19.05.25	P	S	0.15	199.00	S	S	PASS
Lighting Controller	EURO4E	20.05.24	19.05.25	P	S	0.15	199.00	S	S	PASS
Dee Rack - Lighting	12	20.05.24	19.05.25	P	S	0.13	199.00	S	S	PASS
Abstract Lighting Controller	XP1	20.05.24	19.05.25	P	S	0.14	199.00	S	S	PASS

Dave Dee The Complete Disco Service LTD

16 Waterdale Grove
Stoke - on -Trent
Staffordshire ST3 5TX
20-05-21

Testing Carried Out By K J Spencer

C/o Best Test UK Unit 1
Elswick Road Fenton Industrial Site
Fenton Stoke on Trent ST4 2PZ

Account Ref: 13713-0499-0001



info@best-test-uk.co.uk
www.best-test-uk.co.uk
07854 016320

Appliance Description	Appliance ID	Date Tested	Retest Date	Visual Check	Polarity Check	Earth Cont Ohms	Insulation MOhms	Load kVA	Leakage mA	Status
Dave Dee The Complete Disco Service LTD Lighting Control Continued										
LED Controller	1	20.05.24	19.05.25	P	S	0.16	199.00	S	S	PASS
Dee Rack - Lighting	14	20.05.24	19.05.25	P	S	0.12	199.00	S	S	PASS
Octopar Controller	1	20.05.24	19.05.25	P	S	0.12	199.00	S	S	PASS
Dave Dee The Complete Disco Service LTD Lighting Effects										
Work Light	LIGHT1	20.05.24	19.05.25	P	S	0.13	199.00	S	S	PASS
Equinox Helix	EH1	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Equinox Helix	EH2	20.05.24	19.05.25	P	S	0.11	199.00	S	S	PASS
Equinox Helix	EH3	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS
Equinox Helix	EH4	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Par 56 Bar	BAR 1	20.05.24	19.05.25	P	S	0.13	199.00	S	S	PASS
Par 56 Bar	BAR 2	20.05.24	19.05.25	P	S	0.12	199.00	S	S	PASS
Par 56 Bar	BAR 3	20.05.24	19.05.25	P	S	0.21	199.00	S	S	PASS
Par 56 Bar	BAR 4	20.05.24	19.05.25	P	S	0.16	199.00	S	S	PASS
Par 56 Bar	BAR 5	20.05.24	19.05.25	P	S	0.14	199.00	S	S	PASS
Par 56 Bar	BAR 6	20.05.24	19.05.25	P	S	0.12	199.00	S	S	PASS
Preditor HX Scanner	PRED HX1	20.05.24	19.05.25	P	S	0.11	199.00	S	S	PASS
Preditor HX Scanner	PRED HX2	20.05.24	19.05.25	P	S	0.13	199.00	S	S	PASS
Preditor HX Scanner	PRED HX3	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Preditor HX Scanner	PRED HX4	20.05.24	19.05.25	P	S	0.12	199.00	S	S	PASS
Preditor HX Scanner	PRED HX5	20.05.24	19.05.25	P	S	0.17	199.00	S	S	PASS

All the above appliances have passed the Electrical and/or Visual Tests to the Electricity At Work Regulations

Dave Dee The Complete Disco Service LTD

16 Waterdale Grove
 Stoke - on -Trent
 Staffordshire ST3 5TX
 20-05-21

Testing Carried Out By K J Spencer

C/o Best Test UK Unit 1
 Elswick Road Fenton Industrial Site
 Fenton Stoke on Trent ST4 2PZ

Account Ref: 13713-0499-0001



info@best-test-uk.co.uk
 www.best-test-uk.co.uk
 07854 016320

Appliance Description	Appliance ID	Date Tested	Retest Date	Visual Check	Polarity Check	Earth Cont Ohms	Insulation MOhms	Load kVA	Leakage mA	Status
Dave Dee The Complete Disco Service LTD Lighting Effects Continue										
Preditor HX Scanner	PRED HX6	20.05.24	19.05.25	P	S	0.15	199.00	S	S	PASS
Acme Spotknight Moving Head	MH1	20.05.24	19.55.25	P	S	0.10	199.00	S	S	PASS
Acme Spotknight Moving Head	MH2	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS
Acme Spotknight Moving Head	MH3	20.05.24	19.05.25	P	S	0.14	199.00	S	S	PASS
Acme Spotknight Moving Head	MH4	20.05.24	19.05.25	P	S	0.13	199.00	S	S	PASS
Acme Spotknight Moving Head	MH5	20.05.24	19.05.25	P	S	0.11	199.00	S	S	PASS
Acme Spotknight Moving Head	MH6	20.05.24	19.05.25	P	S	0.12	199.00	S	S	PASS
Par 64 LED Can	1	20.05.24	19.05.25	P	S	0.22	199.00	S	S	PASS
Par 64 LED Can	2	20.05.24	19.05.25	P	S	0.17	199.00	S	S	PASS
Par 64 LED Can	3	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Par 64 LED Can	4	20.05.24	19.05.25	P	S	0.16	199.00	S	S	PASS
Par 64 LED Can	5	20.05.24	19.05.25	P	S	0.19	199.00	S	S	PASS
Par 64 LED Can	6	20.05.24	19.05.25	P	S	0.13	199.00	S	S	PASS
Par 64 LED Can	7	20.05.24	19.05.25	P	S	0.16	199.00	S	S	PASS
Par 64 LED Can	8	20.05.24	19.05.25	P	S	0.14	199.00	S	S	PASS
Par 64 LED Can	9	20.05.24	19.05.25	P	S	0.21	199.00	S	S	PASS
Par 64 LED Can	10	20.05.24	19.05.25	P	S	0.15	199.00	S	S	PASS
Par 64 LED Can	11	20.05.24	19.05.25	P	S	0.13	199.00	S	S	PASS
Par 64 LED Can	12	20.05.24	19.05.25	P	S	0.22	199.00	S	S	PASS
Par 64 LED Can	13	20.05.24	19.05.25	P	S	0.21	199.00	S	S	PASS
Par 64 LED Can	14	20.05.24	19.05.25	P	S	0.14	199.00	S	S	PASS

Dave Dee The Complete Disco Service LTD

16 Waterdale Grove
Stoke - on -Trent
Staffordshire ST3 5TX
20-05-21

Testing Carried Out By K J Spencer

C/o Best Test UK Unit 1
Elswick Road Fenton Industrial Site
Fenton Stoke on Trent ST4 2PZ

Account Ref: 13713-0499-0001



info@best-test-uk.co.uk
www.best-test-uk.co.uk
07854 016320

Appliance Description	Appliance ID	Date Tested	Retest Date	Visual Check	Polarity Check	Earth Cont Ohms	Insulation MOhms	Load kVA	Leakage mA	Status
Dave Dee The Complete Disco Service LTD Lighting Effects Continued										
Par 64 LED Can	15	20.05.24	19.05.25	P	S	0.17	199.00	S	S	PASS
Par 64 LED Can	16	20.05.24	19.05.25	P	S	0.16	199.00	S	S	PASS
Par 64 LED Can	17	20.05.24	19.05.25	P	S	0.12	199.00	S	S	PASS
Par 64 LED Can	18	20.05.24	19.05.25	P	S	0.16	199.00	S	S	PASS
Par 64 LED Can	19	20.05.24	19.05.25	P	S	0.11	199.00	S	S	PASS
Par 64 LED Can	20	20.05.24	19.05.25	P	S	0.17	199.00	S	S	PASS
DJ Booth Starcloth	1	20.05.24	19.05.25	P	S	0.11	199.00	S	S	PASS
Neon DJ Booth – Happy I Do Day	1	20.05.24	19.05.25	P	S	0.13	199.00	S	S	PASS
Starcloth Backdrop	1-4mx3m	20.05.24	19.05.25	P	S	0.12	199.00	S	S	PASS
Starcloth Backdrop	2-3mx2m	20.05.24	19.05.25	P	S	0.15	199.00	S	S	PASS
1m LED Bar	1	20.05.24	19.05.25	P	S	0.13	199.00	S	S	PASS
1m LED Bar	2	20.05.24	19.05.25	P	S	0.11	199.00	S	S	PASS
1m LED Bar	3	20.05.24	19.05.25	P	S	0.14	199.00	S	S	PASS
1m LED Bar	4	20.05.24	19.05.25	P	S	0.11	199.00	S	S	PASS
1m LED Bar	5	20.05.24	19.05.25	P	S	0.12	199.00	S	S	PASS
1m LED Bar	6	20.05.24	19.05.25	P	S	0.14	199.00	S	S	PASS
1m LED Bar	7	20.05.24	19.05.25	P	S	0.12	199.00	S	S	PASS
1m LED Bar	8	20.05.24	19.05.25	P	S	0.15	199.00	S	S	PASS
1m LED Bar	9	20.05.24	19.05.25	P	S	0.11	199.00	S	S	PASS
1m LED Bar	10	20.05.24	19.05.25	P	S	0.14	199.00	S	S	PASS
1m LED Bar	11	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS

Dave Dee The Complete Disco Service LTD

16 Waterdale Grove
Stoke - on -Trent
Staffordshire ST3 5TX
20-05-21

Testing Carried Out By K J Spencer

C/o Best Test UK Unit 1
Elswick Road Fenton Industrial Site
Fenton Stoke on Trent ST4 2PZ

Account Ref: 13713-0499-0001



info@best-test-uk.co.uk
www.best-test-uk.co.uk
07854 016320

Appliance Description	Appliance ID	Date Tested	Retest Date	Visual Check	Polarity Check	Earth Cont Ohms	Insulation MOhms	Load kVA	Leakage mA	Status
Dave Dee The Complete Disco Service LTD Lighting Effects Continued										
Cluster Laser	1	20.05.24	19.05.25	P	S	0.13	199.00	S	S	PASS
Cluster Laser	2	20.05.24	19.05.25	P	S	0.15	199.00	S	S	PASS
Cluster Laser	3	20.05.24	19.05.25	P	S	0.12	199.00	S	S	PASS
Cluster Laser	4	20.05.24	19.05.25	P	S	0.16	199.00	S	S	PASS
Kam ILink Blue 500	1	20.05.24	19.05.25	P	S	0.17	199.00	S	S	PASS
Kam ILink Green	1	20.05.24	19.05.25	P	S	0.15	199.00	S	S	PASS
Equinox Atria	1	20.05.24	19.05.25	P	S	0.16	199.00	S	S	PASS
Equinox 1500W Power Strobe	1	20.05.24	19.05.25	P	S	0.17	199.00	S	S	PASS
Equinox 80W Strobe	1	20.05.24	19.05.25	P	S	0.12	199.00	S	S	PASS
Prolight MiracLED	1	20.05.24	19.05.25	P	S	0.14	199.00	S	S	PASS
Prolight MiracLED	2	20.05.24	19.05.25	P	S	0.16	199.00	S	S	PASS
Prolight MiracLED	3	20.05.24	19.05.25	P	S	0.17	199.00	S	S	PASS
Prolight MiracLED	4	20.05.24	19.05.25	P	S	0.13	199.00	S	S	PASS
Moving Head Laser	1	20.05.24	19.05.25	P	S	0.14	199.00	S	S	PASS
Moving Head Laser	2	20.05.24	19.05.25	P	S	0.11	199.00	S	S	PASS
Pro Light XL Flame Machine	1	20.05.24	19.05.25	P	S	0.13	199.00	S	S	PASS
Pro Light XL Flame Machine	2	20.05.24	19.05.25	P	S	0.15	199.00	S	S	PASS
Pro Light XL Flame Machine	3	20.05.24	19.05.25	P	S	0.13	199.00	S	S	PASS
Pro Light XL Flame Machine	4	20.05.24	19.05.25	P	S	0.12	199.00	S	S	PASS
1M Truss Stand TS1	1	20.05.24	19.05.25	P	S	0.16	199.00	S	S	PASS
1M Truss Stand TS2	2	20.05.24	19.05.25	P	S	0.14	199.00	S	S	PASS

Dave Dee The Complete Disco Service LTD

16 Waterdale Grove
Stoke - on -Trent
Staffordshire ST3 5TX
20-05-21

Account Ref: 13713-0499-0001



Testing Carried Out By K J Spencer

C/o Best Test UK Unit 1
Elswick Road Fenton Industrial Site
Fenton Stoke on Trent ST4 2PZ

info@best-test-uk.co.uk
www.best-test-uk.co.uk
07854 016320

Appliance Description	Appliance ID	Date Tested	Retest Date	Visual Check	Polarity Check	Earth Cont Ohms	Insulation MOhms	Load kVA	Leakage mA	Status
Dave Dee The Complete Disco Service LTD Effects										
Vision(NEC) 42" Plasma Screen	1	20.05.24	19.05.25	P	S	0.14	199.00	S	S	PASS
Vision(NEC) 42" Plasma Screen	2	20.05.24	19.05.25	P	S	0.12	199.00	S	S	PASS
Chauvet Bubble Machine	1	20.05.24	19.05.25	P	S	0.11	199.00	S	S	PASS
Chauvet Bubble Machine	2	20.05.24	19.05.25	P	S	0.16	199.00	S	S	PASS
Sanyo Projector	1	20.05.24	19.05.25	P	S	0.13	199.00	S	S	PASS
Sanyo Projector	2	20.05.24	19.05.25	P	S	0.16	199.00	S	S	PASS
Amstrad DVD Player	1	20.05.24	19.05.25	P	S	0.18	199.00	S	S	PASS
SVGA Monitor Splitter Switch Box	1	20.05.24	19.05.25	P	S	0.15	199.00	S	S	PASS
4 Port SVid Splitter Box	1	20.05.24	19.05.25	P	S	0.14	199.00	S	S	PASS
Compaq Laptop	1	20.05.24	19.05.25	P	S	0.13	199.00	S	S	PASS
Vision 19" Flat screen Monitor	1	20.05.24	19.05.25	P	S	0.14	199.00	S	S	PASS
16" Mirror Ball Motor	1	20.05.24	19.05.25	P	S	0.16	199.00	S	S	PASS
16" Mirror Ball Motor	2	20.05.24	19.05.25	P	S	0.14	199.00	S	S	PASS
Martin Jem Smoke Machine	1	20.05.24	19.05.25	P	S	0.17	199.00	S	S	PASS
Martin Jem Smoke Machine	2	20.05.24	19.05.25	P	S	0.19	199.00	S	S	PASS
1.5m UV Tube Light	1	20.05.24	19.05.25	P	S	0.17	199.00	S	S	PASS
1.5m UV Tube Light	2	20.05.24	19.05.25	P	S	0.12	199.00	S	S	PASS
Dave Dee The Complete Disco Service LTD Power/Cables										
Mains Distribution Board	MB1	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS
1.5m IEC	1	20.05.24	19.05.25	P	S	0.04	199.00	S	S	PASS
1.5m IEC	2	20.05.24	19.05.25	P	S	0.06	199.00	S	S	PASS

Dave Dee The Complete Disco Service LTD

16 Waterdale Grove
 Stoke - on -Trent
 Staffordshire ST3 5TX
 20-05-21

Testing Carried Out By K J Spencer

C/o Best Test UK Unit 1
 Elswick Road Fenton Industrial Site
 Fenton Stoke on Trent ST4 2PZ

Account Ref: 13713-0499-0001



info@best-test-uk.co.uk
 www.best-test-uk.co.uk
 07854 016320

Appliance Description	Appliance ID	Date Tested	Retest Date	Visual Check	Polarity Check	Earth Cont Ohms	Insulation MOhms	Load kVA	Leakage mA	Status
Dave Dee The Complete Disco Service LTD Power/Cables Continued										
1.5m IEC	3	20.05.24	19.05.25	P	S	0.04	199.00	S	S	PASS
1.5m IEC	4	20.05.24	19.05.25	P	S	0.07	199.00	S	S	PASS
1.5m IEC	5	20.05.24	19.05.25	P	S	0.03	199.00	S	S	PASS
1.5m IEC	6	20.05.24	19.05.25	P	S	0.05	199.00	S	S	PASS
1.5m IEC	7	20.05.24	19.05.25	P	S	0.04	199.00	S	S	PASS
1.5m IEC	8	20.05.24	19.05.25	P	S	0.06	199.00	S	S	PASS
1.5m IEC	9	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
1.5m IEC	10	20.05.24	19.05.25	P	S	0.05	199.00	S	S	PASS
1.5m IEC	11	20.05.24	19.05.25	P	S	0.04	199.00	S	S	PASS
1.5m IEC	12	20.05.24	19.05.25	P	S	0.06	199.00	S	S	PASS
1.5m IEC	13	20.05.24	19.05.25	P	S	0.08	199.00	S	S	PASS
1.5m IEC	14	20.05.24	19.05.25	P	S	0.03	199.00	S	S	PASS
1.5m IEC	15	20.05.24	19.05.25	P	S	0.05	199.00	S	S	PASS
1.5m IEC	16	20.05.24	19.05.25	P	S	0.06	199.00	S	S	PASS
1.5m IEC	17	20.05.24	19.05.25	P	S	0.06	199.00	S	S	PASS
1.5m IEC	18	20.05.24	19.05.25	P	S	0.07	199.00	S	S	PASS
1.5m IEC	19	20.05.24	19.05.25	P	S	0.04	199.00	S	S	PASS
1.5m IEC	20	20.05.24	19.05.25	P	S	0.04	199.00	S	S	PASS
4m 2 Way Extension Cable	1	20.05.24	19.05.25	P	S	0.05	199.00	S	S	PASS
4m 2 Way Extension Cable	2	20.05.24	19.05.25	P	S	0.06	199.00	S	S	PASS
4m 2 Way Extension Cable	3	20.05.24	19.05.25	P	S	0.03	199.00	S	S	PASS

Dave Dee The Complete Disco Service LTD

16 Waterdale Grove
Stoke - on -Trent
Staffordshire ST3 5TX
20-05-21

Testing Carried Out By K J Spencer

C/o Best Test UK Unit 1
Elswick Road Fenton Industrial Site
Fenton Stoke on Trent ST4 2PZ

Account Ref: 13713-0499-0001



info@best-test-uk.co.uk
www.best-test-uk.co.uk
07854 016320

Appliance Description	Appliance ID	Date Tested	Retest Date	Visual Check	Polarity Check	Earth Cont Ohms	Insulation MOhms	Load kVA	Leakage mA	Status
Dave Dee The Complete Disco Service LTD Power/Cables Continued										
4m 2 Way Extension Cable	4	20.05.24	19.05.25	P	S	0.05	199.00	S	S	PASS
4m 2 Way Extension Cable	5	20.05.24	19.05.25	P	S	0.07	199.00	S	S	PASS
4m 2 Way Extension Cable	6	20.05.24	19.05.25	P	S	0.05	199.00	S	S	PASS
4m 2 Way Extension Cable	7	20.05.24	19.05.25	P	S	0.04	199.00	S	S	PASS
4m 2 Way Extension Cable	8	20.05.24	19.05.25	P	S	0.07	199.00	S	S	PASS
4m 2 Way Extension Cable	9	20.05.24	19.05.25	P	S	0.04	199.00	S	S	PASS
10m 4 Way Extension Cable	1	20.05.24	19.05.25	P	S	0.08	199.00	S	S	PASS
10m 4 Way Extension Cable	2	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS
10m 4 Way Extension Cable	3	20.05.24	19.05.25	P	S	0.08	199.00	S	S	PASS
10m 4 Way Extension Cable	4	20.05.24	19.05.25	P	S	0.12	199.00	S	S	PASS
5m 6 Way Extension Cable	1	20.05.24	19.05.25	P	S	0.11	199.00	S	S	PASS
5m 6 Way Extension Cable	2	20.05.24	19.05.25	P	S	0.14	199.00	S	S	PASS
30m 16 Amp Extension Cable	1	20.05.24	19.05.25	P	S	0.15	199.00	S	S	PASS
30m 16 Amp Extension Cable	2	20.05.24	19.05.25	P	S	0.11	199.00	S	S	PASS
30m 16 Amp Extension Cable	3	20.05.24	19.05.25	P	S	0.14	199.00	S	S	PASS
30m 16 Amp Extension Cable	4	20.05.24	19.05.25	P	S	0.14	199.00	S	S	PASS
30m 32 Amp Extension Cable	1	20.05.24	19.05.25	P	S	0.16	199.00	S	S	PASS
2m 32A - 2x16 Amp Splitter Cable	1	20.05.24	19.05.25	P	S	0.17	199.00	S	S	PASS
5m 13A -16 Amp Extension Cable	1	20.05.24	19.05.25	P	S	0.11	199.00	S	S	PASS
16 inch Portable Fan	1	20.05.24	19.05.25	P	S	0.11	199.00	S	S	PASS
16 inch Portable Fan	2	20.05.24	19.05.25	P	S	0.13	199.00	S	S	PASS

Dave Dee The Complete Disco Service LTD

16 Waterdale Grove
Stoke - on -Trent
Staffordshire ST3 5TX
20-05-21

Account Ref: 13713-0499-0001



Testing Carried Out By K J Spencer

C/o Best Test UK Unit 1
Elswick Road Fenton Industrial Site
Fenton Stoke on Trent ST4 2PZ

info@best-test-uk.co.uk
www.best-test-uk.co.uk
07854 016320

Appliance Description	Appliance ID	Date Tested	Retest Date	Visual Check	Polarity Check	Earth Cont Ohms	Insulation MOhms	Load kVA	Leakage mA	Status
Dave Dee The Complete Disco Service LTD New Equip										
LED BAR 50	1	20.05.24	19.05.25	P	S	0.06	199.00	S	S	PASS
LED BAR 50	2	20.05.24	19.05.25	P	S	0.08	199.00	S	S	PASS
LED BAR 50	3	20.05.24	19.05.25	P	S	0.05	199.00	S	S	PASS
JBL EON Powered Speaker	1	20.05.24	19.05.25	P	S	0.08	199.00	S	S	PASS
JBL EON Powered Speaker	2	20.05.24	19.05.25	P	S	0.08	199.00	S	S	PASS
Optoma GT760 Projector	1	20.05.24	19.05.25	P	S	0.07	199.00	S	S	PASS
Optoma GT760 Projector	2	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
ADJ Gogo Projector	1	20.05.24	19.05.25	P	S	0.08	199.00	S	S	PASS
ADJ Mega Par	1	20.05.24	19.05.25	P	S	0.06	199.00	S	S	PASS
ADJ Mega Par	2	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Stairville DMX Recorder	1	20.05.24	19.05.25	P	S	0.05	199.00	S	S	PASS
Acme Pinspot	1	20.05.24	19.05.25	P	S	0.05	199.00	S	S	PASS
Acme Pinspot	2	20.05.24	19.05.25	P	S	0.07	199.00	S	S	PASS
Acme TS Active Sub	1	20.05.24	19.05.25	P	S	0.08	199.99	S	S	PASS
ADJ Starburst	1	20.05.24	19.05.25	P	S	0.06	199.00	S	S	PASS
ADJ Starburst	2	20.05.24	19.05.2	P	S	0.06	199.99	S	S	PASS
ADJ Controller	1	20.05.24	19.05.25	P	S	0.08	199.00	S	S	PASS
ADJ Tripar Profile Bar	1	20.05.24	19.05.25	P	S	0.10	199.99	S	S	PASS
LED Love Letters	1	20.05.24	19.05.25	P	S	0.07	199.99	S	S	PASS
White LED Dance Floor	1	20.05.24	19.05.25	P	S	0.08	199.99	S	S	PASS

Dave Dee The Complete Disco Service LTD

16 Waterdale Grove
Stoke - on -Trent
Staffordshire ST3 5TX
20-05-21

Testing Carried Out By K J Spencer

C/o Best Test UK Unit 1
Elswick Road Fenton Industrial Site
Fenton Stoke on Trent ST4 2PZ

Account Ref: 13713-0499-0001



info@best-test-uk.co.uk
www.best-test-uk.co.uk
07854 016320

Appliance Description	Appliance ID	Date Tested	Retest Date	Visual Check	Polarity Check	Earth Cont Ohms	Insulation MOhms	Load kVA	Leakage mA	Status
Dave Dee The Complete Disco Service LTD New Equipment										
ADJ 8LED Sweeper	1	20.05.24	19.05.25	P	S	0.06	199.00	S	S	PASS
0.5m 6 Way Extention	1	20.05.24	19.05.25	P	S	0.04	199.00	S	S	PASS
0.5m 6 Way Extention	2	20.05.24	19.05.25	P	S	0.04	199.00	S	S	PASS
Blaupunkt TV	1	20.05.24	19.05.25	P	S	0.07	199.00	S	S	PASS
Bose Top	1	20.05.24	19.05.25	P	S	0.11	199.00	S	S	PASS
Bose Top	2	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS
Bose Bass	1	20.05.24	19.05.25	P	S	0.13	199.00	S	S	PASS
Bose Bass	2	20.05.24	19.05.25	P	S	0.13	199.00	S	S	PASS
Kam UV Bar	1	20.05.24	19.05.25	P	S	0.06	199.00	S	S	PASS
Kam UV Bar	2	20.05.24	19.05.25	P	S	0.08	199.00	S	S	PASS
LPL Mic	1	20.05.24	19.05.25	P	S	0.05	199.00	S	S	PASS
IMG mic Mixer	1	20.05.24	19.05.25	P	S	0.07	199.00	S	S	PASS
RGB3C LED Controller	1	20.05.24	19.05.25	P	S	0.11	199.00	S	S	PASS
ADJ Mega Par	3	20.05.24	19.05.25	P	S	0.06	199.00	S	S	PASS
ADJ Mega Par	4	20.05.24	19.05.25	P	S	0.05	199.00	S	S	PASS
ADJ Mega Par	5	20.05.24	19.05.25	P	S	0.06	199.00	S	S	PASS
ADJ Mega Par	6	20.05.24	19.05.25	P	S	0.05	199.00	S	S	PASS
ADJ Mega Par	7	20.05.24	19.05.25	P	S	0.07	199.00	S	S	PASS
ADJ Mega Par	8	20.05.24	19.05.25	P	S	0.06	199.00	S	S	PASS
ADJ Mega Par	9	20.05.24	19.05.25	P	S	0.06	199.00	S	S	PASS
ADJ Mega Par	10	20.05.24	19.05.25	P	S	0.06	199.00	S	S	PASS

Dave Dee The Complete Disco Service LTD

16 Waterdale Grove
Stoke - on -Trent
Staffordshire ST3 5TX
20-05-21

Testing Carried Out By K J Spencer

C/o Best Test UK Unit 1
Elswick Road Fenton Industrial Site
Fenton Stoke on Trent ST4 2PZ

Account Ref: 13713-0499-0001



info@best-test-uk.co.uk
www.best-test-uk.co.uk
07854 016320

Appliance Description	Appliance ID	Date Tested	Retest Date	Visual Check	Polarity Check	Earth Cont Ohms	Insulation MOhms	Load kVA	Leakage mA	Status
Dave Dee The Complete Disco Service LTD New Equipment Cont										
1.5M Truss Stand	1	20.05.24	19.05.25	P	S	0.11	199.00	S	S	PASS
1.5M Truss Stand	2	20.05.24	19.05.25	P	S	0.11	199.00	S	S	PASS
LED Mr & Mrs	1	20.05.24	19.05.25	P	S	0.07	199.00	S	S	PASS
LED LOVE Letters	2	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
MH350	1	20.05.24	19.05.25	P	S	0.11	199.00	S	S	PASS
MH350	2	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS
Par Wifi Can – LED Wifi	1	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Par Wifi Can – LED Wifi	2	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS
Par Wifi Can – LED Wifi	3	20.05.24	19.05.25	P	S	0.12	199.00	S	S	PASS
Par Wifi Can – LED Wifi	4	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Par Wifi Can – LED Wifi	5	20.05.24	19.05.25	P	S	0.08	199.00	S	S	PASS
Par Wifi Can – LED Wifi	6	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Par Wifi Can – LED Wifi	7	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS
Par Wifi Can – LED Wifi	8	20.05.24	19.05.25	P	S	0.08	199.00	S	S	PASS
Par Wifi Can – LED Wifi	9	20.05.24	19.05.25	P	S	0.08	199.00	S	S	PASS
Par Wifi Can – LED Wifi	10	20.05.24	19.05.25	P	S	0.08	199.99	S	S	PASS
Par Wifi Can – LED Wifi	11	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Par Wifi Can – LED Wifi	12	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Sealey 24" Fan	1	20.05.24	19.05.25	P	S	0.07	199.00	S	S	PASS

All the above appliances have passed the Electrical and/or Visual Tests to the Electricity At Work Regulations

Dave Dee The Complete Disco Service LTD

16 Waterdale Grove
Stoke - on -Trent
Staffordshire ST3 5TX
20-05-21

Testing Carried Out By K J Spencer

C/o Best Test UK Unit 1
Elswick Road Fenton Industrial Site
Fenton Stoke on Trent ST4 2PZ

Account Ref: 13713-0499-0001



info@best-test-uk.co.uk
www.best-test-uk.co.uk
07854 016320

Appliance Description	Appliance ID	Date Tested	Retest Date	Visual Check	Polarity Check	Earth Cont Ohms	Insulation MOhms	Load kVA	Leakage mA	Status
Dave Dee The Complete Disco Service LTD New Equipment Cont										
Sealey 24" Fan	2	20.05.24	19.05.25	P	S	0.11	199.00	S	S	PASS
1.75m Truss Stand	1	20.05.24	19.05.25	P	S	0.12	199.00	S	S	PASS
1.75m Truss Stand	2	20.05.24	19.05.25	P	S	0.07	199.00	S	S	PASS
Rustic LOVE Letters	1	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS
Crate Light	1	20.05.24	19.05.25	P	S	0.11	199.00	S	S	PASS
Crate Light	2	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS
Crate Light	3	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Crate Light	4	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS
1m Truss Bar	1	20.05.24	19.05.25	P	S	0.08	199.00	S	S	PASS
1m Truss Bar	2	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
ADJ XP5	1	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS
ADJ XP5	2	20.05.24	19.05.25	P	S	0.12	199.00	S	S	PASS
ADJ XP5	3	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
CID	1	20.05.24	19.05.25	P	S	0.07	199.00	S	S	PASS
CID	2	20.05.24	19.05.25	P	S	0.07	199.00	S	S	PASS
ADJ Mega Par	11	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
ADJ Mega Par	12	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
EF50	1	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS
EF50	2	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS

All the above appliances have passed the Electrical and/or Visual Tests to the Electricity At Work Regulations

Dave Dee The Complete Disco Service LTD
 16 Waterdale Grove
 Stoke - on -Trent
 Staffordshire ST3 5TX

Testing Carried Out By K J Spencer
C/o Best Test UK Unit 1
 Elswick Road Fenton Industrial Site
 Fenton Stoke on Trent ST4 2PZ

Account Ref: 13713-0499-0001



info@best-test-uk.co.uk
 www.best-test-uk.co.uk
 07854 016320

Appliance Description	Appliance ID	Date Tested	Retest Date	Visual Check	Polarity Check	Earth Cont Ohms	Insulation MOhms	Load kVA	Leakage mA	Status
Dave Dee The Complete Disco Service LTD New Equipment Cont										
Chauvet SBQ	1	20.05.24	19.05.25	P	S	0.11	199.00	S	S	PASS
Chauvet SBQ	2	20.05.24	19.05.25	P	S	0.11	199.00	S	S	PASS
Chauvet Freedom Stick	CF1	20.05.24	19.05.25	P	S	0.08	199.00	S	S	PASS
Chauvet Freedom Stick	CF2	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Chauvet Freedom Stick	CF3	20.05.24	19.05.25	P	S	0.08	199.00	S	S	PASS
Chauvet Freedom Stick	CF4	20.05.24	19.05.25	P	S	0.08	199.00	S	S	PASS
Chauvet Freedom Stick	CF5	20.05.24	19.05.25	P	S	0.07	199.00	S	S	PASS
Chauvet Freedom Stick	CF6	20.05.24	19.05.25	P	S	0.07	199.00	S	S	PASS
Chauvet Freedom Stick	CF7	20.05.24	19.05.25	P	S	0.07	199.00	S	S	PASS
Chauvet Freedom Stick	CF8	20.05.24	19.05.25	P	S	0.08	199.00	S	S	PASS
BABY Letters	1	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS
40 Numbers	1	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS
Chauvet Freedom Stick	CF9	20.05.24	19.05.25	P	S	0.08	199.00	S	S	PASS
Chauvet Freedom Stick	CF10	20.05.24	19.05.25	P	S	0.08	199.00	S	S	PASS
Chauvet Freedom Stick	CF11	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Chauvet Freedom Stick	CF12	20.05.24	19.05.25	P	S	0.08	199.00	S	S	PASS
Yamaha DZR15	1	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Yamaha DZR15	2	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
50cm Mirror Ball	MB50	20.05.24	19.05.25	P	S	0.11	199.00	S	S	PASS
LEDJ Event Spot	ES1	20.05.24	19.05.25	P	S	0.08	199.00	S	S	PASS
LEDJ Event Spot	ES2	20.05.24	19.05.25	P	S	0.07	199.00	S	S	PASS

Dave Dee The Complete Disco Service LTD
 16 Waterdale Grove
 Stoke - on -Trent
 Staffordshire ST3 5TX

Testing Carried Out By K J Spencer
C/o Best Test UK Unit 1
 Elswick Road Fenton Industrial Site
 Fenton Stoke on Trent ST4 2PZ

Account Ref: 13713-0499-0001



info@best-test-uk.co.uk
 www.best-test-uk.co.uk
 07854 016320

Appliance Description	Appliance ID	Date Tested	Retest Date	Visual Check	Polarity Check	Earth Cont Ohms	Insulation MOhms	Load kVA	Leakage mA	Status
Dave Dee The Complete Disco Service LTD Rustic Letters										
Rustic A	1	20.05.24	19.05.25	P	S	0.11	199.00	S	S	PASS
Rustic A	2	20.05.24	19.05.25	P	S	0.11	199.00	S	S	PASS
Rustic B	1	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS
Rustic B	2	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Rustic C	1	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Rustic C	2	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Rustic D	1	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Rustic E	1	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS
Rustic E	2	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Rustic E	3	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Rustic F	1	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS
Rustic G	1	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS
Rustic H	1	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS
Rustic I	1	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS
Rustic I	2	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Rustic J	1	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Rustic K	1	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Rustic L	1	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Rustic L	2	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS
Rustic L	3	20.05.24	19.05.25	P	S	0.08	199.00	S	S	PASS
Rustic M	1	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS

Dave Dee The Complete Disco Service LTD
 16 Waterdale Grove
 Stoke - on -Trent
 Staffordshire ST3 5TX
 20-05-21

Testing Carried Out By K J Spencer
C/o Best Test UK Unit 1
 Elswick Road Fenton Industrial Site
 Fenton Stoke on Trent ST4 2PZ

Account Ref: 13713-0499-0001



info@best-test-uk.co.uk
 www.best-test-uk.co.uk
 07854 016320

Appliance Description	Appliance ID	Date Tested	Retest Date	Visual Check	Polarity Check	Earth Cont Ohms	Insulation MOhms	Load kVA	Leakage mA	Status
Dave Dee The Complete Disco Service LTD Rustic Letters Cont										
Rustic M	2	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS
Rustic N	1	20.05.24	19.05.25	P	S	0.11	199.00	S	S	PASS
Rustic N	2	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Rustic O	1	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS
Rustic O	2	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS
Rustic P	1	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS
Rustic P	2	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Rustic Q	1	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Rustic R	1	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Rustic R	2	20.05.24	19.05.25	P	S	0.11	199.00	S	S	PASS
Rustic S	1	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS
Rustic S	2	20.05.24	19.05.25	P	S	0.11	199.00	S	S	PASS
Rustic T	1	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Rustic T	2	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Rustic U	1	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Rustic V	1	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Rustic V	1	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Rustic W	1	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS
Rustic W	2	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS

Dave Dee The Complete Disco Service LTD
 16 Waterdale Grove
 Stoke - on -Trent
 Staffordshire ST3 5TX
 20-05-21

Testing Carried Out By K J Spencer
C/o Best Test UK Unit 1
 Elswick Road Fenton Industrial Site
 Fenton Stoke on Trent ST4 2PZ

Account Ref: 13713-0499-0001



info@best-test-uk.co.uk
 www.best-test-uk.co.uk
 07854 016320

Appliance Description	Appliance ID	Date Tested	Retest Date	Visual Check	Polarity Check	Earth Cont Ohms	Insulation MOhms	Load kVA	Leakage mA	Status
Dave Dee The Complete Disco Service LTD Rustic Letters Cont										
Rustic W	3	20.05.24	19.05.25	P	S	0.11	199.00	S	S	PASS
Rustic X	1	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS
Rustic Y	1	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Rustic Z	1	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS
Rustic MR & MRS Topper	P1	20.05.24	19.05.25	P	S	0.11	199.00	S	S	PASS
Rustic MR & MRS Topper	P2	20.05.24	19.05.25	P	S	0.10	199.00	S	S	PASS
Rustic &	1	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS
Rustic &	2	20.05.24	19.05.25	P	S	0.09	199.00	S	S	PASS